



Dr. Somnath Bhattacharyya
Professor in Genetics and Plant Breeding
Officer in Charge, Crop Research Unit
Research Directorate

Bidhan Chandra Krishi Viswavidyalaya,

e.mail: somnathbhat@yahoo.com,
bhattacharya.somnath@bckv.edu.in
Mohanpur, Nadia, WB 741252, India

Tender Notification

Ref. No. BCKV/CRU/2526/P I (ICAR)/Ten 12

Date 12/02/26

Officer in Charge, Crop Research Unit, and PI, Adhoc-funded project, is inviting sealed price-quotation from the competent and bona fide vendors/dealers having registration of GST for the supply of the following to the University within **seven days** from the date of publication of this notice on the university website, as per specifications appended below (Table 1). Vendors are requested to quote for the cost of each item separately, and the quoted price must include GST. The quoted price must remain valid until 31st March 2026. **The combined cost of all items will determine the lowest bidder. Part quotation will not be considered for price comparison.** The vendor must attach the catalogue number, the manufacturer's name, and the manufacturer's website address. The order quantity may vary according to the availability of funds. The payment will be processed only after the supplied materials meet the quality and quantity requirements specified in the issued order. **The sealed quotations shall be submitted in the Tender Box of the Research Directorate.**

Table 1: Ref. No. BCKV/CRU/2526/P I (ICAR)/Ten 12

Date 12/02/26

Sl	Items/services with specifications	Qty
1	Molecular biology grade Agarose 500g,	01
2	6X Gel DNA-loading dye	10ml
3	100 bp DNA ladder 200 wells	200 wells x 10pcs,
4	Tris Aminomethane Maleate extrapure (99.5%)	500g
5	RNA Later TM Stabilization solution for stabilization and storage.	100ml
6	Mol boil grade EDTA Disodium salt dihydrate.	2x500g
7	Silica gel with self-indicating blue 5.8mm,	8x500g
8	Rankem Methanol	2x2.5lt
9	Nitroblue Tetrazolium chloride extrapure AR (99%)	2g
10	Mol Biol grade Boric acid	300g
11	Mol boil PEG 6000,	
12	Midi submarine electrophoresis unit with casting tray, 15 x 10cm, buffer chamber, safety lid with cables, UV transparent tray and one each of 1.5 mm thick 8 and 15 well comb.	01
13	ABA	100mg
14	HPLC grade water	6 lt

As per decision of the 90th
meeting of the LTC held on 12/02/2026
tender notice is allowed to publish
as per rule

Subhrajit Bhattacharyya
12/2/26

S. Bhattacharyya
12/02/26

(S. Bhattacharyya)