BIDHAN CHANDRA KRISHI VISWAVIDYALAYA MEDIUM-RANGE WEATHER FORECAST AND AGRO-ADVISORY (Agromet Advisory Services, IMD, MoES)

Directorate of Research, B.C.K.V., Kalyani.



E-mail: <u>aaskalyani@gmail.com</u>, bhowmickmahasweta2012@gmail.com

From Kalyani (Nadia, WB)

Weather Forecast for Burdwan District

FORECAST PERIOD: 13th June to 17th June, 2018

Weather forecast for next five days

- Partly to mainly cloudy sky is expected during next 5 days.
- ➤ Light to medium rainfall is expected during next few days & total will be 21 mm.
- \blacktriangleright Wind flow mainly from S and SW direction with 6-18 km/hr. speed during next 5 days is expected.
- ➤ Maximum relative humidity is expected to be around 62-88% and minimum relative humidity is expected to be around 18% 38%.
- Maximum temperature is expected to be around 35°C - 39°C and minimum temperature is expected to be around 26°C - 28°C .

Agrometeorological Advisory

| Crop | Stage | Advisory |
|-----------------|------------|--|
| Arhar | Sowing | Sowing of Sweta, Churni, Jagriti, Probhat varieties may be done during next week. Seed treatment with Mancozeb, Thairam or Captan may be done. Before seed treatment you may apply Rhizobium culture . Apply 9.5 Kg Urea, 50 Kg SSP and 13.5 Kg MOP per bigha at the time of land preparation. |
| Aman | Sowing | Start land preparation and seed sowing with the help of pre monsoon rainfall. For low land you may sow long duration varieties like lalswarna, swarnamasuri for medium and high land you mayapply short duration varieties like MTU 1010, PD 12, Pratiksha, Bidhan 1 etc. |
| Bhindi | Fruiting | For jassid apply Thiomithoxam 0.3 SG 1g/3lit of water. |
| Mango, Lichi | Fruiting | To prevent fruit drop apply NAA (Planofix) @ 3ml per 15 lt of water. |
| Jute | vegetative | In case of rotting of stem and spots on leaves apply carbendazim 50 WP @1g/lit. of water or Cu-hydroxide 75 WP@ 2g/lit.of water. |