BIDHAN CHANDRA KRISHI VISWAVIDYALAYA MEDIUM-RANGE WEATHER FORECAST AND AGRO-ADVISORY (Agromet Advisory Services, IMD, MoES)

Directorate of Research, B.C.K.V., Kalyani.



E-mail: <u>aaskalyani@gmail.com</u> bhowmickmahasweta2012@gmail.com

From <u>Kalyani (</u>Nadia, WB)

Weather Forecast for Hooghly District

FORECAST PERIOD: : 2nd June to 6th June, 2018

Weather forecast for next five days

- \blacktriangleright Partly to mainly cloudy $sky\,is\,expected\,during\,{\rm next\,few\,}days$.
- > Light to medium rainfall is expected during next few days & total will be 29 mm.
- ➤ Wind flow mainly from S direction with 10-23 km/hr. speed during next 5 days is expected.
- Maximum relative humidity is expected to be around 80%-86% and minimum relative humidity is expected to be around 37% - 44%.
- > Maximum temperature is expected to be around $34^{\circ}C-35^{\circ}C$ and minimum temperature is expected to be around $26^{\circ}C-27^{\circ}C$.

Agrometeorological Advisory

Crop	Stage	Advisory
Kharif Maize	Sowing	Sowing of fodder crops may be done during next week. Adequate moisture should be maintained for maximum germination of seeds. Sowing should be done at a depth of 3-4 cm and at row to row spacing of 25-30 cm.
Legume vegetable	vegetative	For root rot apply (Carbendazim + Mancozeb) @2.0 g/ lit. of water as soil drenching. For aphid control of Lab Lab bean apply ash in case of lower infestation and incase of heavy infestation Thiomethoxam 0.3 SG @1g/lit. of water may be applied.
Bhindi	Vegetative	To control Bhindi Yellow vein mosaic virus, spray Imidachloropid @ 0.2ml/liter of water
Mango, Lichi	Fruiting	To prevent fruit drop apply NAA (Planofix) @ 3ml per 15 lt of water.
Jute	vegetative	Apply first top dressing of Urea@ 7kg/bigha after weeding in jute field.