



**Gramin Krishi Mausam Sewa**  
**District Level Agromet Advisory Bulletin**  
**Bidhan Chandra Krishi Viswavidyalaya**  
 Mohanpur, Dist- Nadia, West Bengal



## Agromet Advisory Bulletin

Date : 08-04-2022

Weather Forecast of District HOWRAH(West Bengal) Issued On : 2022-04-08(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-04-09	2022-04-10	2022-04-11	2022-04-12	2022-04-13
Rainfall(mm)	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	34.0	35.0	34.0	34.0	34.0
Tmin(°C)	25.0	26.0	26.0	27.0	27.0
RH-I(%)	78	82	79	82	83
RH-II(%)	16	33	47	45	47
Wind Speed(kmph)	24.3	26.7	28.5	25.1	24.5
Wind Direction(Degree)	202	202	201	198	193
Cloud Cover(Octa)	0	0	0	0	1

### Weather Summary/Alert:

No rainfall is likely to occur during next few days. Clear sky is expected on next few days . Wind speed is expected to be 23-28 km / hour. Max. RH is expected to be 78% to 83%. Maximum temperature is expected to be around 34.0-35.0 deg C and minimum temperature is expected to be around 25.0-27.0 deg C.

### General Advisory:

No rainfall is expected in the next few days . Spraying and harvesting may be done .

### SMS Advisory:

No rainfall is expected in the next few days . Spraying and harvesting may be done .

### Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
BRINJAL	Fruit Setting Stage : Brinjal fruit & shoot borer may be seen at this stage . As soon as the insect is detected , the affected parts should be clipped along with the insect and destroyed .Fruits showing any boring should be picked and destroyed . Weed control is must . Spray with Profenophos + Cypermethrin 1.5ml + Acitamidrid 1gm at 15 days interval. After spraying apply prime pack 1.0-2.6-2.6 liquid fertilizer (5 ml) + Humax 1 ml/l + 10-26-26 (10 kg/ bigha ) + 1 kg Sagarika dana +5 kg Neemcake as topdressing . One solar light trap per bigha will be useful .
CHILLI	Chilli • Fruiting stage • Mite and thrips attack. For mite attack spray Dicofol or Propergite . For thrips attack spray Thiamithoxam .

