20/12/2022, 15:03 District Advisory



# Gramin Krishi Mausam Sewa District Level Agromet Advisory Bulletin Bidhan Chandra Krishi Viswavidyalaya



Mohanpur, Dist- Nadia, West Bengal

## **Agromet Advisory Bulletin**

Date: 20-12-2022

Weather Forecast of District HOOGHLY(West Bengal) Issued On: 2022-12-20(Valid Till 08:30 IST of the next 5 days)

| Parameter              | 2022-12-21 | 2022-12-22 | 2022-12-23 | 2022-12-24 | 2022-12-25 |
|------------------------|------------|------------|------------|------------|------------|
| Rainfall(mm)           | 0.0        | 0.0        | 0.0        | 0.0        | 0.0        |
| Tmax(°C)               | 27.0       | 27.0       | 27.0       | 27.0       | 28.0       |
| Tmin(°C)               | 14.0       | 14.0       | 14.0       | 16.0       | 17.0       |
| RH-I(%)                | 50         | 49         | 40         | 36         | 50         |
| RH-II(%)               | 30         | 24         | 24         | 20         | 22         |
| Wind Speed(kmph)       | 7.4        | 7.4        | 6.6        | 6.0        | 5.9        |
| Wind Direction(Degree) | 343        | 335        | 15         | 0          | 180        |
| Cloud Cover(Octa)      | 1          | 7          | 7          | 4          | 0          |

### **Weather Summary/Alert:**

No rainfall is likely to occur during next few days. Clear sky to partly cloudy sky is expected on next few days. Wind speed is expected to be 6-7 km / hour. Max. RH is expected to be 36% to 50%. Minimum RH is expected to be 20%-30%. Maximum temperature is expected to be around 27.0-28.0 deg C and minimum temperature is expected to be around 14.0-17.0 deg C.

## **General Advisory:**

Please download Mausam, Meghdoot & damini app at your smart phone to get weather forecast and agromet advisory.

### **SMS Advisory:**

Before cultivation of winter vegetables proper seed treatment should be required. Treatment should be done with Trichoderma viride @ 5 gm/lt. of water or Mancozeb75% W.P. @ 2.5 gm/lt. of water.

### **Crop Specific Advisory:**

| Crop(Varieties) | Crop Specific Advisory  |
|-----------------|---|
| II H N I I I    | Topdressing is not required . 30-40 days after sowing , 2% urea solution or D.A.P. aquous solution spraying gives good result . |

### **Horticulture Specific Advisory:**

| Horticulture(Varieties) | Horticulture Specific Advisory   |  |  |  |
|-------------------------|--|--|--|--|
| CABBAGE                 | Present weather is suitable for sowing of winter cabbage, cauliflower, tomato, chilly and brinjal. Prepare the land thoroughly. Make the land loose and friable before sowing seed. And also seed treatment should be done before sowing seed. |  |  |  |