1/27/23, 2:12 PM District Advisory



## Gramin Krishi Mausam Sewa District Level Agromet Advisory Bulletin Bidhan Chandra Krishi Viswavidyalaya



Mohanpur, Dist- Nadia, West Bengal

# **Agromet Advisory Bulletin**

Date: 27-01-2023

Weather Forecast of District HOOGHLY(West Bengal) Issued On: 2023-01-27(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-01-28	2023-01-29	2023-01-30	2023-01-31	2023-02-01
Rainfall(mm)	0	0	0	0	0
Tmax(°C)	30.5	28.9	28.2	28.9	30.5
Tmin(°C)	16.9	15.4	14.9	16.9	15.6
RH-I(%)	65	44	34	40	51
RH-II(%)	31	28	24	20	23
Wind Speed(kmph)	11.4	11.2	7.9	5.1	11.1
Wind Direction(Degree)	334	19	22	90	341
Cloud Cover(Octa)	0	1	4	1	0

#### Weather Summary/Alert:

No rainfall is likely to occur during next few days. Clear sky is expected on next few days. Wind speed is expected to be 5-11 km / hour. Max. RH is expected to be 34% to 65%. Minimum RH is expected to be 20%-31%. Maximum temperature is expected to be around 28.0-31.0 deg C and minimum temperature is expected to be around 15.0-17.0 deg C.

#### **General Advisory:**

Please download Mausam, Meghdoot & damini app at your smart phone to get weather forecast and agromet advisory.

### **SMS Advisory:**

Spraying, fertilizer application, harvesting etc may be done in the coming week as no rainfall is predicted.

## **Crop Specific Advisory:**

Crop(Varieties)	Crop Specific Advisory
DAINCHA	Farmers are advised to cultivate Dhaincha as green manure crop. It not only improves the physical properties but also helps in meeting nitrogen requirement of succeeding crop. Plough land thoroughly and bring the soil to fine tilth. Make the soil weedfree and mix the stubble with soil properly. For manuring purpose use row spacing 20 cm and sowing depth should be 3-4cm. Sow 20Kg seed/acre. Bury crop in soil when crop is 40-60days old.

## **Poultry Specific Advisory:**

1/27/23, 2:12 PM District Advisory

Poultry(Varieties)	Poultry Specific Advisory
СНІСК	Arrange electric bulb whole day in the cages of new born chicks. Allow fresh air in the morning 9.30-10 a.m. to 2-2.30 p.m. For avoiding moist condition of litter apply lime in the litter. Glucose, vitamin C and multivitamin may be added with pure water for new born chicks.