



Gramin Krishi Mausam Sewa
District Level Agromet Advisory Bulletin
Bidhan Chandra Krishi Viswavidyalaya
 Mohanpur, Dist- Nadia, West Bengal



Agromet Advisory Bulletin

Date : 20-02-2024

Weather Forecast of District NADIA(West Bengal) Issued On : 2024-02-20(Valid Till 08:30 IST of the next 5 days)

Parameter	2024-02-21	2024-02-22	2024-02-23	2024-02-24	2024-02-25
Rainfall(mm)	0.0	4.0	9.0	1.0	0.0
Tmax(°C)	31.0	31.0	30.0	29.0	9.0
Tmin(°C)	18.0	18.0	18.0	17.0	17.0
RH-I(%)	65	68	86	60	43
RH-II(%)	26	23	27	35	29
Wind Speed(kmph)	9	12	14	14	12
Wind Direction(Degree)	210	112	112	90	30
Cloud Cover(Octa)	2	3	2	1	1

Weather Summary/Alert:

No rainfall to light rainfall (21.2.24 , 22.2.24) is expected on next few days. Partly cloudy to clear sky is expected in the next few days. Max. RH is expected to be 43% to 86%. Maximum temperature is expected to be around 29.0-31.0 deg C and minimum temperature is expected to be around 17.0-18.0 deg C.

General Advisory:

Please download Meghdoot app at your smart phone to get medium range weather forecast and agromet advisory.

SMS Advisory:

Spraying , fertilizer application and harvesting may be restricted on 21.2.24 & 22.2.24 because light rainfall is expected .

Crop Specific Advisory:

Crop (Stage)	Crop Specific Advisory
RICE (Vegetative)	Boro Paddy : Transplanting : Complete transplanting where seedlings are 35-40 days old. During main field preparation apply compost and basal dose of fertilizer as required . Light rainfall of last few days may cause fungal infection . Apply Trycyclozole @ 0.5 g per lt of water and any pesticide as preventive measure .l

Horticulture Specific Advisory:

Horticulture (Stage)	Horticulture Specific Advisory
POTATO (Vegetative)	Late vegetative to tuberization stage : Micronutrients may be applied at this stage to enhance the growth and quality of tuber .
CABBAGE (Vegetative)	Present weather is suitable for cultivation of winter vegetables .Leaf cutting caterpillar can be collected and killed by hand. Spraying may be done as required . To control White fly alternate spraying of Difenthiuron and Azoxystrobin + Tebuconazole is recommended.